

Pipe & Tube Supply - 501.372.6556

Catalog Page 13

CARBON STEEL I.P.S. PRESSURE TUBING & BLACK PIPE

ASTM A-53/A-106/API 5-L

I.P.S.	Schedule	Outside Diameter	Wall	Weight Per Ft.	A 53 API-5L	A-106	CW A-53
1/8	40	.405	.068	.2447	X	X	X
1/8	80	.405	.095	.3145		X	X
1/4	40	.540	.088	.4248		X	X
1/4	80	.540	.119	.5351		X	X
3/8	40	.675	.091	.5676		X	X
3/8	80	.675	.126	.7388		X	X
1/2	40	.840	.109	.8510		X	X
1/2	80	.840	.147	1.088		X	X
1/2	160	.840	.167	1.304		X	
1/2	XXHY	.840	.294	1.714		X	
3/4	40	1.050	.113	1.131		X	X
3/4	80	1.050	.154	1.474		X	X
3/4	160	1.050	.218	1.937		X	
3/4	XXHY	1.050	.308	2.441		X	
1	40	1.315	.133	1.679		X	X
1	80	1.315	.179	2.172		X	X
1	160	1.315	.250	2.844		X	
1	XXHY	1.315	.358	3.659		X	
1-1/4	40	1.660	.140	2.273		X	X
1-1/4	80	1.660	.191	2.997		X	X
1-1/4	160	1.660	.250	3.765		X	
1-1/4	XXHY	1.660	.382	5.214		X	
1-1/2	40	1.900	.145	2.718		X	X
1-1/2	80	1.900	.200	3.631		X	X
1-1/2	160	1.900	.281	4.859		X	
1-1/2	XXHY	1.900	.400	6.408		X	
2	40	2.375	.154	3.653	X	X	X
2	80	2.375	.218	5.022	X	X	X
2	160	2.375	.343	7.444		X	
2	XXHY	2.375	.436	9.029		X	
2-1/2	40	2.875	.203	5.793	X	X	X
2-1/2	80	2.875	.276	7.661	X	X	X
2-1/2	160	2.875	.375	10.01		X	
2-1/2	XXHY	2.875	.552	13.70		X	
3	40	3.500	.216	7.576	X	X	X
3	80	3.500	.300	10.25	X	X	X
3	160	3.500	.437	14.32	X	X	
3	XXHY	3.500	.600	18.58		X	
3-1/2	40	4.000	.226	9.109	X	X	X
3-1/2	80	4.000	.318	12.51	X	X	X
3-1/2	XXHY	4.000	.636	22.85		X	
4	40	4.500	.237	10.79	X	X	X
4	80	4.500	.337	14.98	X	X	X
4	120	4.500	.437	19.01		X	
4	160	4.500	.531	22.51		X	
4	XXHY	4.500	.674	27.54		X	
5	40	5.563	.258	14.62	X	X	
5	80	5.563	.375	20.78	X	X	
5	120	5.563	.500	27.04		X	

5	160	5.563	.625	32.96		X
5	XXHY	5.563	.750	38.55		X
6	40	6.625	.280	18.97	X	X
6	80	6.625	.432	28.57	X	X
6	120	6.625	.562	36.39		X
6	160	6.625	.718	45.30		X
6	XXHY	6.625	.864	53.16		X
8	20	8.625	.250	22.36	X	
8	40	8.625	.322	28.55	X	X
8	80	8.625	.500	43.39	X	X
8	120	8.625	.718	60.63		X
8	XXHY	8.625	.875	72.42	X	X
8	160	8.625	.906	74.69		X
8	---	8.625	1.000	81.44		X
8	---	8.625	1.227	96.94		X
8	---	8.625	1.500	114.4		X
10	20	10.750	.250	28.04	X	
10	30	10.750	.307	34.24	X	
10	40	10.750	.365	40.48	X	X
10	XHY	10.750	.500	54.74	X	X
10	80	10.750	.593	64.33		X
10	100	10.750	.718	76.93		X
10	140	10.750	1.000	104.1		X
10	160	10.750	1.125	115.7		X
10	---	10.750	1.250	126.8		X
10	---	10.750	1.500	148.2		X
11	STD.	11.750	.375	45.55		X
11	XHY	11.750	.500	60.07		X
11	---	11.750	.750	88.11		X
11	---	11.750	1.000	114.8		X
11	---	11.750	1.250	140.2		X
11	---	11.750	1.500	164.2		X
12	20	12.750	.250	33.38	X	
12	30	12.750	.330	43.77		X
12	STD.	12.750	.375	49.56	X	X
12	40	12.750	.406	53.53	X	X
12	XHY	12.750	.500	65.42	X	X
12	60	---	---	---		
12	80	12.750	.687	88.51		X
12	100	12.750	.843	107.2	X	X
12	120	12.750	1.000	125.5		X
12	140	12.750	1.125	139.7		X
12	---	12.750	1.250	153.6		X
12	160	12.750	1.312	160.3		X
12	---	12.750	1.500	180.2		X
12	---	12.750	2.000	229.6		X
14	10	14.000	.250	36.71	X	
14	20	14.000	.312	45.68		X
14	30	14.000	.375	54.57	X	X
14	40	14.000	.437	63.37		X
14	XHY	14.000	.500	72.09	X	X
14	---	14.000	.625	89.28		X
14	80	14.000	.750	106.1		X
14	100	14.000	.937	130.7		X
14	120	14.000	1.093	150.7		X
14	140	14.000	1.250	170.2		X
14	160	14.000	1.406	189.1		X
14	---	14.000	1.500	200.3		X
16	20	16.000	.312	52.27		X
16	30	16.000	.375	62.58	X	X
16	40	16.000	.500	82.77	X	X
16	60	16.000	.656	107.5		X
16	80	16.000	.843	136.5		X
16	100	16.000	1.031	164.8		X
16	120	16.000	1.218	192.3		X
16	140	16.000	1.437	223.5		X
18	10	18.000	.250	47.09	X	
18	20	---	---	---		
18	STD.	18.000	.375	70.59	X	X
18	XHY	18.000	.500	93.45	X	X
18	60	18.000	.750	138.2		X
18	100	18.000	---	---		
18	120	18.000	1.375	244.1		X

18	160	-----	---	-----		
20	10	-----	---	-----		
20	20	20.000	.375	78.60	X	X
20	30	20.000	.500	104.1		X
20	80	20.000	1.031	208.9		X
20	100	20.000	1.280	256.1		X
20	120	20.000	1.500	296.4		X
24	20	24.000	.375	94.62	X	
24	XHY	24.000	.500	125.5	X	X
24	60	24.000	.968	238.1		X
24	100	24.000	1.531	367.4		X

Some Sizes Available in Untested Structural Grade
